

Cape Town Good Hope

22nd March. 1820

Sir
I have taken the liberty of putting on
board the Brig Barbara bound direct for
Boston. Two cases addressed to you the
one containing Bubby's notes of the Colony
the other Succulents on vulgar terms the
above then if a Confidential Variety should
they come safe to hand & contain anything
new I shall feel happy in knowing the
fact. I have paid to a Sister Mrs Sophia
Mackinnan you would give me Third of
the contents excuse me they trouble I give
my public avocations at this moment not
permitting my making a small package
for her account or in fact adding to this
collection many things which want of time
alone has prevented. my two Botanical

friends all up the Country I wanted their
advice as to the manner of packing - Mr.
Barre from New Gardens has done much,
more I should think than any of his
Predecessors - there are two Prussian Gent.
lemen sent out by the King to collect -
I doubt if they will do much - My
old friend Weddeman a collector for his
own account is daily expected from the
interior on his arrival I hope to secure
part of the produce of his labor for
your account

Remaining

Sir

Yr most Obedt. Servt.

J. May

Mr. Proprietor Pick.

Cambridge

~~Bot 4558.20~~

2. 27th May 1820

Bot 4558.20

List
of

Seeds & Bulbs

By C. H. Wehdebaum.

Mus. Eng.

List
 of Seeds Collected in and near Cafferland
 in the Course of this year 1837

- No. 1 *Strelitzia Regina*; on the acclivity of a rocky bushy Hill in a
 moisty Soil, mouth of Great Fishriver. January
- 2 *Strelitzia*; with more pointed Leaves. do do April
- 3 *Erythrina Caffra*. Zuurveld, dist. Albany, rich moisty bush Soils
- 4 *Erythrina Nova Spec.* in the same Soil, as the *Strel. Reg.* April
- 5 Genus not known; Pent. mono. Grahamstown, Grassfield, a Small tree
- 6 *Schotia Speciosa*; Great Fishriver, rich Clay grounds. June - Sept.
- 7 *Schotia Nova Sp.* Dist. Grahamstown, grassfield. March
- 8 *Carispa Arduina*; with the black fruit. do do
- 9 Sp. of *Bignoniae*. Gr. Fishriver. February
- 10 Sp. of *Echites*. do do October - Nov.
- 11 Sp. of *Hibiscus*; grows between large bushes 20 feet high, in a rich,
 bush Soil. Theopolis. Dist. Albany. Jan. Feb.
- 12 *Pelargonium Peltatum*, Gr. Fishriver; the best remedy of the Caffers to
 heal their old and fresh Wounds with, they Bruise the
 Sawr Leaves and apply it on the wound. Septbr
- 13 *Nysmalobium Grandiflorum* (Mr. Brown) or *Asclepias Grandifl.*
 Dist. of Grahamstown, in a rocky Soil, May
- 14 *Carispa Arduina*; with the red fruit. do do
- 15 *Plombago Capense*. Distr. of Gr. town on the Shirts of woods June
- 16 *Cirsus Nov. Spec.* Gr. Fishriver. January, dry Clay.
- 17 Sp. of *Proenia*; - Mouth of Gr. Fishriver. the Hott make
 use of it as a Substitute for Coffee in a Wet Soil - May
 grows 10 feet high, near Small Rivers in a Wet Soil

18 G. not known - Decand. Mono. a large tree Dist Albany, the fruit eatable, in shape like, a oblong Plum. - Jan.

19 Gardenia Nova Spec. District Albany in Cloofes on a rocky rich soil, the fruit resembles a Hasfel nut. - febr

20 Sp. of Mimosa, along the rivers in Cafferland. - feb - March

21 Capparis Nov. Sp. in a rocky ground. Dist. Albany

22 Genus not known. Octandria Mono. the fruit eatable, a small obl. red Plum with one round kernel, which yields a Sweet Oil, which, the Hottenbols apply with good Effect on Sore Eyes - Gr. Fish river - rich clay - a small tree - Dec.

23 G. not known; Hescand. Mon. a M.S. tree Dist. Albany

24 Pavetta Caffra. Cafferland a large Shrub on rocky Hills

25 Cucumis. in the large Woods near the Mouth of Great Fish river, climbing up in trees 20 feet high. - capsle

26 Acanthus Cardui fol. District of Gr. F. R. in a rich Clay. Jul.

27 Eugenia, Nova Sp or Jambos; grows about one foot high (Aucey folia) near Gr. F. R. on a rich level ground the roots grow one foot in the ground in a horizontal manner, half an Inch thick and about 20 feet long - the fruit in size of a small apple, if ripe of a high Scarlet or Vermilion Color is of a very tender and most delicious Flavour, like Honey mixed with Spice. - Jan

28 Gardenia Nova Sp. District Albany, fruit eatable, in Cloofes - rocky Soil. - Decem

29 a Sp. of Rhamnus; Hottenb. Name: Kubich, the fruit eatable, like a Sweet Cherry. Grahams town on the rocky Hills. a m. Siz. tree.

30 Eucornis punctata - along the rivers - Grah. Towns

31 G. not known Pentand. Mon. - do grass. "Blanc" - elegant flowers

32 do do do Pent. Mon. a small tree - do do do the blossom of a very Sweet Scent - the fruit in a Capsule, contains 4 red seeds of a very fatish Nature. - May, June

33 Cyrtanthus obliq. Dist Albany & Cafferland Jan

34 Sp. of morea - do do do

35 G. not known Pent. Mono. a small tree a part of the fruit near the Stack covered with a red fleshy substance, Cor. 5 Pet. a small stary flower

36. Jasminum Angularis, of a very pleasing Scent, in flower almost the whole year - climbs up between small bushes - rocky Soil. District of Grahams town

37 G. not known, Teosandria, a beautiful small tree, the blossom of a very Sweet Scent, the Bark smooth like marmel, paintings red & white, the fruit like black beans grows without any covering on a fleshy substance like Strawberry on the Calice District Grah. Town June

- 38 *Rhamnus* Nov. Sp. District of Grath. Town,
- 39 *Urtica* in the shade under trees - do
- 40 *Cyrtanthus* Nov. Sp. - do - do - do - do
- 41 *Arnica*, Nov Sp: a tree growing out of the Cliffs of Rocks on the Hills, of a beautiful appearance
- 42 *Calodendrum* Capense in a ^{District Grath. E.} moisty ground, in Woods
- 43 G. not known, *Tetrandria* Mon. Hott! Ninkakara, the fruit & kernel eatable, in a bushy Soil
- 44 *Erkebergia*, ... in a Wet Soil along Rivers Grath. town
- 45 *Protea* *Cymaroides* - Zuurveld on the accliv^{ty} of Hills
- 46 *Gomphocarpus* - ... Gras Soil, Zuurveld. Grath. town
- 47 *Sodalyria*, *Alba*, ... in a Rocky Soil
- 48 *Sodalyria* *Hirsuta* - ... do - do
- 49 *Urtica* *Pedunculata* - ... do - do
- 50 *Aspalathus* ^{Excipolia} *Sp. ...* do - do
- 51 *Soralea* *Spicata* - ... rich Gras Soil,
- 52 *Royena* *Lucida*, on Hills Dry Clay
- 53 *Sansevieria*, ... Great Fish river,
- 54 *Aloe* *picta* ... Hottentots Guree - eatable -
- 55 Sp. of *Capparis* ? Hottentots Wacht een Vijg
- 56 Sp. of *Aloe* ? do - do - Olyphant's Krost
- 57 Sp. of *Polygala* ? a Small tree, the Bark of which is used by the Hott. as a Substitute of Soap

- 58 Sp. of *Laurus*, a large tree called Skinwood, the fruit resembles much that of an Almond, the hollow trees yield a great quantity of a black Gum, which is very fit for a terou water Color.
- 59 Sp. of *Cissus* - fruit eatable - ... Cloof of Grath. town
- 60 *Euclea* *Undulata* Gr. Fish river, the farmers make a good Wine of the fruit / Hott. Quarry
- 61 *Bryonia* *Capensis* ? in the large Woods, the fruit is very fit for Sweetmeat.
- 62 Sp. of *Cucumis* - Cafferland, creeping on the Ground
- 63 a 2^d Sp. of *Euclea* - the fruit on a Shrub and much larger as the former,
- 64 Sp. of *Royena*, - the fruit a Small Plum. - eatable Cafferland.
- 65 G. not known - a very Scarce, but Venomous Small tree
- Hottentots name { the wild Bushmans poison their arrows with the milky Substance, of the Bark of this tree
- Gift-Booms { the ^{fruit} like a m. Siz. oblong Plum, of a fine Carmin Color, contains 2. half flat white Stone, the fleshy Substance contains a milky Substance, on the hands it turns in half a minute in^{to} black which will remain some days on the skin, before it disappears - I have seen this plant only once in two years - without the flower -

- 66 Sp. of *Rhamnus*. 2. Sp. *Hottemots*. *Kubuk*, fruit eatable
- 67 Sp. of *Hibiscus*; Gr. *Triskreer*
- 68 *Grewia Occidentalis*
- 69 *Mimosa Nilotica*, - rich, *Grassfield*, *Cafferland*
- 70 *Cepacea*, Nov. Sp. in a rich ground on the *Rever* in *Grab. E.*
 a Substitute for *Leech*. where this plant grows
 no Venomous Serpent are to be met with
- 71 *Halberia Lucida*, - in the Woods -
- 72 Genus not known *Pentand. Mono.* a large Shrub
 near the *Missionary Inst. Phucolis* -
 the fruit a flat Berry which yields a
 fatish matter of a very aromatic smell
 like something of *Serpentine*, if boiled
 it is an excellent remedy, against the
Leaper or *Scurvy* of *Dogs*, by rubbing
 the *Skin* with the same, and there
 is no doubt, but it must have the same
 Effect on the Exterior of the human
 body also. The *Caffers* wear these *Berries*
 like *Beads* round their *Neck*, and seem
 to look upon it as a kind of *Galisman*,
 the Blossom is an *Umbella* of very small
 white flowers.

- 73 Sp. of *Plectronia*, a large tree the fruit in taste like almond ^{bitter}
- 74 *Pestio Gigantea*; of a beautiful aspect will grow
 in a moisty Soil 30 feet high
- 75 Sp. of *Clematis* - the flower or Corolla 4 petala - 0 Calice, Sweet Scent
- 76 Sp. of a very Scarce *Apelia* - *Cafferland*
- 77 *Progena Buccifolia* - Clay ground
- 78 Sp. of *Celastrus* - . . . *Cafferland*
- 79 Sp. of *Morea*, . . . *Albany* *August*
- 80 Genus not known, a tree *Pentand. Mon. Albany* ^{Shrub}
- 81 Spec. of *Ilex*. a large tree; the fruit like a small apple
 but not eatable, the bark in powder or boiled
 is used with uncommon Effect as an Antidote
 against the most Venomous Serpents, a
 table Spoon of this Bark taken, and some
 applied to the Wound puts the Patient
 in few hours without danger
- 82 a very Scarce Species of *Sophora*, (missing)
- 83 *Gardenia Prothmannia*
- 84 *Gardenia Thunbergia*
- 85 *Strutivola Virgata*
- 86 *Protea Conocarpa*
- 87 Sp. of *Mimosa* . . . called by the *Brigias* *Hott Mocaala*
- 88 Sp. of *Bauhinia* *Sama*
- 89 a Scarce Sp. of *Crasula*

- No
- 90 *Diosma oppositifol.* a Small tree
 - 91 *Lanaria Plumosa*
 - 92 Sp. of *Euphorbia Convolvulus*
 - 93 *Crotalaria?* Nov Sp.
 - 94 Sp. of *Asclepias* --- Sweet Scent
 - 95 Sp. of *Crassula*
 - 96 two Sp. of *Jocia*
 - 97 *Boyeria Nova Specie*
 - 98 Sp. of *Cineraria*
 - 99 *Polygala Nov. Sp.*
 - 100 *Gr. not known Pent. mon. Gr. Fish & River*
a Small tree, called Granat
 - 103 *Lamia Caffra*

Bulbs

- 102 *Tamus Elephantipes* 2. Bulbs
- 103 Sp. of *Brunswigia?* Cafferland 2. "
- 104 2. Sp. of " " 4. "
- 105 *Cyrtanthus Obliq* 6. "
- 106 *Amarillis Nov. Sp.* 3. "
- 107 *Amarillis undulata* 6. "
- 108 *Strelitzia Reginae* 1 1/2. "
- 109 *Jaxia Nov Sp.* 4. "
- 100 *Stapelia from Cafferland* 1

C. Schumann





Strobilium

Regina


C. H. Wehdenmann





Erythrina carnea


C. H. Wehde mann





Erythrina

e. H. Weddeman





Myrica

C. H. Wehlemann.

3, *Penlandria* *Montu*



Acacia speciosa.

C. H. Wehdenmann

6

Scholia speciosa



Linnaea

C. H. Wehde mann

Schöleria nova Sp.




Carissa
Carissa *Urduina*

C. H. Wehde mann

Carispa arcuata

2 Sp. Seeds

hooker No 8 4-14



Camellia japonica

C. H. Weidemann

1. *Hydrophilus* ...

(2)



Ceropogon

Ceropogon echinatus

E. H. Wehdenmann

U. crassipes - C. white

P. laticornis

U. crassipes



C. H. Wehde mann


11 Hibiscus



Lebanon

C. H. Wehdenmann

F. longicauda



Asclepias grandiflora

H. W. H. W.

Rhusmalobium Grandiflorum
W. Brown



Indica, Bauhinia

C. H. Wehdemann


Stomachus Capensis



Passiflora

C. H. Wehlemann

16 *Cisus* n. sp.



Phoenix

C. H. Wehdenmann

Phoenicea

in a Muddy Soil

1871



Syringium?

19



Passiflora

H. Wehdenmann

14
Gardenia Nov Sp.



Mimosa.

C. G. Windemann.

20
Mimosa



Carpinus

© H. Wehdenmann

21 Capparis non L. 27



Meriania
Meriania

C. H. Wehdenmann

Octonida. mone.



Carum

Carum

Hexand. mono



St Pavetta Caffra
Linnæus non. Cassin. & Com. Det.



Cucumis melo



Staubbeutel ein
Cylinder.

Aconitum Caruifolia

E. H. Weidemann

Alcantinus. Caranigou.



Eugenia - or. Jamba

2.1
1 Laguna - Jambo



Persea indica

E.H. Wehdenmann

28 *Gardenia nov Sp*



4) Rhamnus

Hotentot name: Kubukh



Stachys palustris

E. H. Wehdenmann

30

Eucornis punctata



Verbena officinalis


C. H. Wehdenmann

11



C. H. Wehdebaum

32 Vent. mon.



100
Cyrtanthus obliqu:



Morea

C. H. Wehde mann

34

Is of Monaco

Corolla, Sky blue violet
the marks in the Leaves or
Petals quite yellow color



Stemmatococcus

P. H. Wehdenmann

Journal of the ...



Tcosandria Wimmer

C. H. Wehlermann

Josandria Mon.



Passiflora

C. H. Wehdenmann

Phaenomena



Lychnis viscaria

E. H. Wehdenmann

39 *Leptothorax curvirostris*



Cyrtanthus



Arnica

41

Arnica

lyngensia, Polygamia. Superglua.



Calceolarium Capense

P. H. Wehdeimann

42 *On the ...*



Castanopsis

C. F. W. [unclear]

25
Jentani, 1844.




Conium maculatum

C. H. Wehlemann

92 *convolutus*

61




Lamia

Capra

C. H. Wehdemann

101 *Lamia Caffra*



Amorphyto
vicinaria

C.H. Wehdenmann

Franseria
5 Bulbs



Crinoid of Japan?

~~.....~~
Linnæus
2 large Buds



Amarillis.

C. H. Wehdenman





Amur

5 Bulbs



Gloriosa

Glencoe



Asplenium adnigrum

C. H. Wehdemann

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

1891

1892

1893

1894

1895

1896

1897

1898

1899

1900

1901

1902

1903

1904

1905

1906



9-

Alpinia *genera?* *alpinia*







J. - *T. ...*

Lab. A. 3.



Cleome juncea
Gravel pitia. or monacellp. h.

No *Cleome juncea.*

Diadelphica or *monadelphica*

Great Fish Bone
Leguminosae / having
skin a fatish sticking
of substance
The Seed in row
opens on one side —